

LU1809



Silicone Spray

Solutions you can count on!

DESCRIPTION

Mr McKenic® - Silicone Spray is a premium multi-protective spray for both metal and non-metal surfaces, including rubber and plastic. Its quick-dry formula effectively lubricates, waterproofs and protects moving components without leaving sticky residue.

It gently cleans and maintains materials like vinyl and rubber by leaving a protective film to prevent dust build-up and giving an instant shine at the same time.

Mr McKenic® - Silicone Spray comes in three variants that cater for different applications, as shown in table below. LU1809(1) Silicone Spray caters to general lubricating and protection applications at optimal pricing, the Premium variant provides better lubrication and longer protection while the Fast Dry variant offers quick lubrication and light protection for applications where aesthetics is required.

Code	Product Name
LU1809	Silicone Spray (Premium)
LU1809(1)	Silicone Spray
LU1809(3)	Silicone Spray (Fast Dry)

APPLICATIONS

Mr McKenic® - Silicone Spray is widely used in automotive industries, military, moulding industries, high speed rotary letterpress printing, bindery industry, food and beverage industry processing etc.

Ideal for use in applications with moving linkages, rail guides, pulleys, conveyor belts, cutting tools and more.

DIRECTIONS

1. Remove all existing grease, oil or lubricant before use.
2. Shake can well before use.
3. Spray Mr McKenic® - Silicone Spray by holding can 20-25cm away from the surfaces.
4. Re-spray after application as necessary.

Note:

Always test on a small area when used for the first time on a new surface.

PRODUCT PROPERTIES

Physical State	Liquid
Colour	Clear
pH Value	Not Applicable
Solubility (In Water)	Insoluble
Density	LU1809 : 0.80 ± 0.03 kg/m ³ LU1809(1) : 1.03 ± 0.03 kg/m ³ Lu1809(3) : 1.20 ± 0.03 kg/m ³
Operating Temperature	LU1809 : -40 °C to 260 °C LU1809(1) : -65 °C to 200 °C LU1809(3) : -73 °C to 200 °C
Packing	LU1809-A 400ml Can LU1809(1)-A 400ml Aerosol Can LU1809(3)-A 400ml Can

HANDLING PRECAUTIONS

1. For professional use only. To be used in a well-ventilated environment.
2. In case of contact with eyes, rinse thoroughly with water and seek medical advice.
3. If swallowed, take plenty of water and seek medical advice immediately.
4. Avoid prolonged contact with skin.
5. Put on gloves for sensitive skin.
6. Keep out of reach of children.
7. Additional information may be obtained from Safety Data Sheet (SDS).

For Aerosol Packing

- a. Pressurized Container. Do not pierce or burn after use.
- b. Do not expose to temperatures beyond 50°C.

BENEFITS

- Lubricates and Protects
- Leaves No Sticky Residue
- Conditions Rubber Parts
- Prevents Corrosion
- Facilitates Mould Release
- Safe On All Metal Surfaces
- Colourless

Product Data reflects results of laboratory tests and is intended to indicate general characteristics only. Because Vance Chemicals Pte Ltd cannot anticipate or control the many different conditions under which this information and/or product may be used, it does not guarantee the applicability or the accuracy of this information or the suitability of its products in any given situation. Users of Vance Chemicals Pte Ltd products should conduct their own tests to determine the suitability of each product for their particular purposes. © 2016 Vance Chemicals Pte Ltd. All rights reserved.

